

Blue Mountain

Sample ID: 1910BSD0928.2655
 Strain: Blue Mountain
 Matrix: Concentrates & Extracts
 Type: Distillate
 Sample Size: 20 units; Batch: 1,090 units

Produced:
 Collected: 10/01/2019
 Received: 10/01/2019
 Completed: 10/14/2019
 Batch#: BM080819

Client
S.A.M.'s Management Venture, LLC
 Lic. # CDPH-10002356
 7920 Arjons Dr
 San Diego, CA 92126

Distributor
BTC Ventures
 Lic. # C11-0000782-LIC
 7755 Arjons Drive San Diego, CA 92126



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	10/05/2019	Complete
Residual Solvents	10/05/2019	Pass
Microbials	10/04/2019	Pass
Mycotoxins	10/05/2019	Pass
Pesticides	10/05/2019	Pass
Heavy Metals	10/05/2019	Pass
Foreign Matter	10/04/2019	Pass

Cannabinoids by HPLC-UV

Complete

78.16%	ND	79.84%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	LOD	Result	Result
	%	%	%	mg/g
THCa	0.00025	0.0001	ND	ND
Δ9-THC	0.00025	0.0001	78.16	781.6
CBDa	0.00025	0.0001	ND	ND
CBD	0.00025	0.0001	ND	ND
CBN	0.00025	0.0001	0.13	1.3
CBG	0.00025	0.0001	1.55	15.5
Total THC			78.16	781.6
Total CBD			ND	ND
Total			79.84	798.4

LOQ is set to .3%

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation, LOD = Limit of Detection, NR = Not Reported, NT = Not Tested, ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND means not detected by the level of detection <0.00%.

Not Tested	NT Not Tested	Pass
Moisture Content by Moisture Analyzer	Water Activity by Hygrometer	Foreign Matter by Magnifying Glass



ISO 17025:2017 Accredited



 Hinaxi Patel
 Technical Director
 10/14/2019

 Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com


All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

Blue Mountain

Sample ID: 1910BSD0928.2655
 Strain: Blue Mountain
 Matrix: Concentrates & Extracts
 Type: Distillate
 Sample Size: 20 units; Batch: 1,090 units

Produced:
 Collected: 10/01/2019
 Received: 10/01/2019
 Completed: 10/14/2019
 Batch#: BM080819

Client
S.A.M.'s Management Venture, LLC
 Lic. # CDPH-10002356
 7920 Arjons Dr
 San Diego, CA 92126

Distributor
BTC Ventures
 Lic. # C11-0000782-LIC
 7755 Arjons Drive San Diego, CA 92126

Pesticides by LCMS/MS & GCMS/MS

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.01	0.1	0.1	ND	Pass	Fludioxonil	0.01	0.1	0.1	ND	Pass
Acephate	0.01	0.1	0.1	ND	Pass	Hexythiazox	0.01	0.1	0.1	ND	Pass
Acequinocyl	0.01	0.1	0.1	ND	Pass	Imazalil	0.01	0.1	0.01	ND	Pass
Acetamiprid	0.01	0.1	0.1	ND	Pass	Imidacloprid	0.01	0.1	5	ND	Pass
Aldicarb	0.01	0.1	0.01	ND	Pass	Kresoxim Methyl	0.01	0.1	0.1	ND	Pass
Azoxystrobin	0.01	0.1	0.1	ND	Pass	Malathion	0.01	0.1	0.5	ND	Pass
Bifenazate	0.01	0.1	0.1	ND	Pass	Metalaxyl	0.01	0.1	2	ND	Pass
Bifenthrin	0.01	0.1	3	ND	Pass	Methiocarb	0.01	0.1	0.01	ND	Pass
Boscalid	0.01	0.1	0.1	ND	Pass	Methomyl	0.01	0.1	1	ND	Pass
Captan	0.01	0.1	0.7	ND	Pass	Methyl Parathion	0.01	0.1	0.01	ND	Pass
Carbaryl	0.01	0.1	0.5	ND	Pass	Mevinphos	0.01	0.1	0.01	ND	Pass
Carbofuran	0.01	0.1	0.01	ND	Pass	Myclobutanil	0.01	0.1	0.1	ND	Pass
Chlorantraniliprole	0.01	0.1	10	ND	Pass	Naled	0.01	0.1	0.1	ND	Pass
Chlordane	0.01	0.1	0.01	ND	Pass	Oxamyl	0.01	0.1	0.5	ND	Pass
Chlorfenapyr	0.01	0.1	0.01	ND	Pass	Paclbutrazol	0.01	0.1	0.01	ND	Pass
Chlorpyrifos	0.01	0.1	0.01	ND	Pass	Pentachloronitrobenzene	0.01	0.1	0.1	ND	Pass
Clofentezine	0.01	0.1	0.1	ND	Pass	Permethrin	0.01	0.1	0.5	ND	Pass
Coumaphos	0.01	0.1	0.01	ND	Pass	Phosmet	0.01	0.1	0.1	ND	Pass
Cyfluthrin	0.01	0.1	2	ND	Pass	Piperonyl Butoxide	0.01	0.1	3	ND	Pass
Cypermethrin	0.01	0.1	1	ND	Pass	Prallethrin	0.01	0.1	0.1	ND	Pass
Daminozide	0.01	0.1	0.01	ND	Pass	Propiconazole	0.01	0.1	0.1	ND	Pass
DDVP	0.01	0.1	0.01	ND	Pass	Propoxur	0.01	0.1	0.01	ND	Pass
Diazinon	0.01	0.1	0.1	ND	Pass	Pyrethrins	0.01	0.1	0.5	ND	Pass
Dimethoate	0.01	0.1	0.01	ND	Pass	Pyridaben	0.01	0.1	0.1	ND	Pass
Dimethomorph	0.01	0.1	2	ND	Pass	Spinetoram	0.01	0.1	0.1	ND	Pass
Ethoprophos	0.01	0.1	0.01	ND	Pass	Spinosad	0.01	0.1	0.1	ND	Pass
Etofenprox	0.01	0.1	0.01	ND	Pass	Spiromesifen	0.01	0.1	0.1	ND	Pass
Etoxazole	0.01	0.1	0.1	ND	Pass	Spirotetramat	0.01	0.1	0.1	ND	Pass
Fenhexamid	0.01	0.1	0.1	ND	Pass	Spiroxamine	0.01	0.1	0.01	ND	Pass
Fenoxycarb	0.01	0.1	0.01	ND	Pass	Tebuconazole	0.01	0.1	0.1	ND	Pass
Fenpyroximate	0.01	0.1	0.1	ND	Pass	Thiacloprid	0.01	0.1	0.01	ND	Pass
Fipronil	0.01	0.1	0.01	ND	Pass	Thiamethoxam	0.01	0.1	5	ND	Pass
Fonicamid	0.01	0.1	0.1	ND	Pass	Trifloxystrobin	0.01	0.1	0.1	ND	Pass

Date Tested: 10/05/2019

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



ISO 17025:2017 Accredited

 Hinaxi Patel
 Technical Director
 10/14/2019

 Confident Cannabis
 All Rights Reserved
support@confidentcannabis.com
 (866) 506-5866
www.confidentcannabis.com


All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

Blue Mountain

Sample ID: 1910BSD0928.2655
Strain: Blue Mountain
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size: 20 units; Batch: 1,090 units

Produced:
Collected: 10/01/2019
Received: 10/01/2019
Completed: 10/14/2019
Batch#: BM080819

Client
S.A.M.'s Management Venture, LLC
Lic. # CDPH-10002356
 7920 Arjons Dr
 San Diego, CA 92126

Distributor
BTC Ventures
Lic. # C11-0000782-LIC
 7755 Arjons Drive San Diego, CA 92126

Microbials by qPCR

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella	Not Detected in 1g	Pass

Date Tested: 10/04/2019

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Mycotoxins by LCMS/MS

Pass

Analyte	LOD µg/kg	LOQ µg/kg	Limit µg/kg	Units µg/kg	Status
B1	0.5	1		ND	Tested
B2	0.5	1		ND	Tested
G1	0.5	1		ND	Tested
G2	0.5	1		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.5	1	20	ND	Pass

Date Tested: 10/05/2019

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals by ICP-MS

Pass

Analyte	LOD µg/g	LOQ µg/g	Limit µg/g	Units µg/g	Status
Arsenic	0.0000697	0.000697	0.2	0.0028	Pass
Cadmium	0.0001964	0.001964	0.2	<LOQ	Pass
Lead	0.0002727	0.000727	0.5	0.0175	Pass
Mercury	0.0002221	0.002221	0.1	ND	Pass

Date Tested: 10/05/2019

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



ISO 17025:2017 Accredited

Firas Tamary
 Laboratory Director
 10/14/2019

Confident Cannabis
 All Rights Reserved
support@confidentcannabis.com
 (866) 506-5866
www.confidentcannabis.com



Blue Mountain

Sample ID: 1910BSD0928.2655
Strain: Blue Mountain
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size: 20 units; Batch: 1,090 units

Produced:
Collected: 10/01/2019
Received: 10/01/2019
Completed: 10/14/2019
Batch#: BM080819

Client
S.A.M.'s Management Venture, LLC
Lic. # CDPH-10002356
 7920 Arjons Dr
 San Diego, CA 92126

Distributor
BTC Ventures
Lic. # C11-0000782-LIC
 7755 Arjons Drive San Diego, CA 92126

Residual Solvents by GCMS/MS & GC-FID

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.005	0.01	1	ND	Pass
Acetone	0.005	0.01	5000	22.587	Pass
Acetonitrile	0.005	0.01	410	ND	Pass
Benzene	0.005	0.01	1	0.022	Pass
Butane	0.005	0.01	5000	ND	Pass
Chloroform	0.005	0.01	1	ND	Pass
Ethanol	0.005	0.01	5000	566.171	Pass
Ethyl-Acetate	0.005	0.01	5000	21.171	Pass
Ethyl-Ether	0.005	0.01	5000	ND	Pass
Ethylene Oxide	0.005	0.01	1	ND	Pass
Heptane	0.005	0.01	5000	ND	Pass
Isopropanol	0.005	0.01	5000	16.157	Pass
Methanol	0.005	0.01	3000	ND	Pass
Methylene-Chloride	0.005	0.01	1	ND	Pass
n-Hexane	0.005	0.01	290	0.478	Pass
Pentane	0.005	0.01	5000	ND	Pass
Propane	0.005	0.01	5000	ND	Pass
Toluene	0.005	0.01	890	3.083	Pass
Trichloroethene	0.005	0.01	1	ND	Pass
Xylenes	0.005	0.01	2170	ND	Pass

Date Tested: 10/05/2019

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



ISO 17025:2017 Accredited

 Hinaxi Patel
 Technical Director
 10/14/2019

 Confident Cannabis
 All Rights Reserved
support@confidentcannabis.com
 (866) 506-5866
www.confidentcannabis.com


All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.